

# BRAIN RESEARCH

## MOLECULAR BRAIN RESEARCH

VOL. 58 NOS. 1,2

### CONTENTS

15 JULY 1998

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the submission of manuscripts

v

Interactive report (This article is also accessible on the World Wide Web at: <http://www.elsevier.nl/locate/bres> or <http://www.elsevier.com/locate/bres>)

Cannabinoid receptor CB<sub>1</sub> mRNA is highly expressed in the rat ciliary body: implications for the antiglaucoma properties of marihuana

A. Porcella, P. Casellas, G.L. Gessa and L. Pani (Italy, France)

240

#### Research reports

Indicators of glial activation and brain oxidative stress after intraventricular infusion of endotoxin

K. Sugaya, S. Chou, S.-J. Xu and M. McKinney (USA)

1

Light affects c-fos expression and phospholipid synthesis in both retinal ganglion cells and photoreceptor cells in an opposite way for each cell type

D.F. Bussolino, G.A. De Arriba Zerpa, V.R. Grabois, C.B. Conde, M.E. Guido and B.L. Caputto (Argentina)

10

GABA receptor subunit mRNA expression in brain of conflict, yoked control and control rats

L. Zhang, D.R. Rubinow, W. Ma, J.M. Marks, A.N. Feldman, J.L. Barker and T.A. Tathan (USA)

16

Roles of Bcl-2 and caspases in hypoxia-induced neuronal cell death: a possible neuroprotective mechanism of peptide growth factors

M. Tamatani, S. Ogawa and M. Tohyama (Japan)

27

Changes in GluR4 expression induced by metabotropic receptor activation in radial glia cultures

T. López, A.M. López-Colomé and A. Ortega (Mexico)

40

Putative leech dopamine1-like receptor molecular characterization: sequence homologies between dopamine and serotonin leech CNS receptors explain pharmacological cross-reactivities

B. Salzet, G.B. Stefano, M. Verger-Bocquet and M. Salzet (France, USA)

47

Cloning of cDNAs encoding *Xenopus* neuregulin: expression in myotomal muscle during embryo development

J.F. Yang, H. Zhou, S. Pun, N.Y. Ip, H.B. Peng and K.W.K. Tsim (China, USA)

59

In vitro autoradiography of GTPγ<sup>35</sup>S binding at activated NPY receptor subtypes in adult rat brain

R.J. Primus, E. Yevich and D.W. Gallager (USA)

74

Cloning of PCPTP1-Ce encoding protein tyrosine phosphatase from the rat cerebellum and its restricted expression in Purkinje cells

Y. Watanabe, K. Shiozuka, T. Ikeda, N. Hoshi, H. Hiraki, T. Suzuki, S. Hashimoto and H. Kawashima (Japan)

83

Differential effects of mood stabilizers on Fos/Jun proteins and AP-1 DNA binding activity in human neuroblastoma SH-SY5Y cells

V. Asghari, J.F. Wang, J.S. Reiach and L.T. Young (Canada)

95

FMRFamide-related gene family in the nematode, *Caenorhabditis elegans*

L.S. Nelson, K. Kim, J.E. Memmott and C. Li (USA)

103

An region upstream of the gene promoter for the β-amyloid precursor protein interacts with proteins from nuclear extracts of the human brain and PC12 cells

D.K. Lahiri (USA)

112

Distribution of mRNA for the α4 subunit of the nicotinic acetylcholine receptor in the human fetal brain

C. Agulhon, Y. Charnay, P. Vallet, D. Bertrand and A. Malafosse (Switzerland)

123

Increased expression of 3-hydroxyanthranilate 3,4-dioxygenase gene in brain of epilepsy-prone El mice

Y. Nakagawa, H. Asai, T. Miura, J. Kitoh, H. Mori and K. Nakano (Japan)

132

Visualisation of non-glycosylated somatostatin receptor two (ngsst2) immunoreactivity in the rat central nervous system

G. Hervieu and P.C. Emson (UK)

138

Molecular characterization, pharmacological properties and chromosomal localization of the human GALR2 galanin receptor

Z. Fathi, P.M. Battaglino, L.G. Iben, H. Li, E. Baker, D. Zhang, R. McGovern, C.D. Mahle, G.R. Sutherland, T.P. Iismaa, K.E.J. Dickinson and I. Antal Zimanyi (USA, Australia)

156

(contents continued on p. 248)



**ContentsDirect**, the *free* e-mail alerting service, delivers the table of contents for this journal directly to your PC, prior to publication. The quickest way to register for **ContentsDirect** is via the Internet at: <http://www.elsevier.nl/locate/ContentsDirect>. If you don't have access to the Internet you can register for this service by sending an e-mail message to [cdsubs@elsevier.co.uk](mailto:cdsubs@elsevier.co.uk) - specifying the title of the publication you wish to register for.



0169-328X(19980715)58:1/2;1-A

## (contents continued)

GLUT1 glucose transporter: differential gene transcription and mRNA binding to cytosolic and polysome proteins in brain and peripheral tissues H. Tsukamoto, Y. Hamada, D. Wu, R.J. Boado and W.M. Pardridge (USA)	170
Identification and expression of the Na <sup>+</sup> /H <sup>+</sup> exchanger in mammalian cerebrovascular and choroidal tissues: characterization by amiloride-sensitive [ <sup>3</sup> H]MIA binding and RT-PCR analysis R.N. Kalaria, D.R.D. Premkumar, C.-W. Lin, S.N. Kroon, J.-Y. Bae, L.M. Sayre and J.C. LaManna (USA)	178
In vivo IL-1 $\beta$ -induced modulation of G-protein $\alpha_O$ subunit subclass in the hypothalamic ventromedial nucleus: implications to IL-1 $\beta$ -associated anorexia C.R. Plata-Salamán, C.D. Wilson and J.M.H. Ffrench-Mullen (USA)	188
Kainic acid induced expression of interleukin-1 receptor antagonist mRNA in the rat brain C. Eriksson, B. Winblad and M. Schultzberg (Sweden)	195

*Short communications*

Superoxide radicals are mediators of the effects of methamphetamine on <i>Zif268</i> (Egr-1, NGFI-A) in the brain: evidence from using CuZn superoxide dismutase transgenic mice H. Hirata, M. Asanuma and J.L. Cadet (USA)	209
Identification of a naturally occurring Pro <sub>15</sub> -Ser <sub>15</sub> substitution in the serotonin <sub>5A</sub> receptor gene in alcoholics and healthy volunteers N. Iwata, M. Virkkunen, M. Linnoila and D. Goldman (USA, Finland)	217
Up-regulation of NMDA receptor subunits in rat brain following chronic ethanol treatment H.S.G. Kalluri, A.K. Mehta and M.K. Ticku (USA)	221
Lithium stimulates gene expression through the AP-1 transcription factor pathway P.-X. Yuan, G. Chen, L.-D. Huang and H.K. Manji (USA)	225
Subpopulations of cortical GABAergic interneurons differ by their expression of D1 and D2 dopamine receptor subtypes C. Le Moine and P. Gaspar (France)	231
Prevention from hypoxia-induced apoptosis by pre-conditioning: a mechanistic approach in cultured neurons from fetal rat forebrain C. Bossenmeyer-Pourié and J.-L. Daval (France)	237

*Author Index*

246

V  
1  
0

B  
D